

LOVECH^{ltd}

MDF Doors &
Custom Products

lovech.ca

T 647.427.4272

F 905.760.8383

351 Spinnaker Way, Unit 1
Concord, Ontario
L4K 4N4



CRAFTSMANSHIP MEETS TECHNOLOGY

Lovech Ltd. has a rich and deep history in woodworking and craftsmanship. With a long family tradition of cabinet manufacturing and design, the art has been passed down generation to generation.

Using the latest technologies we utilize speed, innovation and expertise to deliver an exceptional product.

Our wide variety of door styles and MDF products, great customer service and a vast selection of customization options are sure to please your company and your customers.

THE BENEFITS OF MDF

MDF doors ensure stability and ease of finishing. They are made from a single piece so there are no joints or opportunity for expansion or contraction. This prevents paint cracking due to fluctuations in temperature and moisture.

The smooth, uniform surface is ideal painting and its composition allows for incredible design flexibility.

Our MDF doors are available in raw back or with white melamine backing, which further enhances the stability of the door.

THE BENEFITS OF PARTNERING WITH US

Partners play a critical role in helping meet customer needs and expectations. We are deeply committed to the success of your company and the satisfaction of your customers.

When you partner with Lovech Ltd. you are ensured an exceptional product, ease of mind and exemplary customer service.

Experience the benefits of outsourcing your MDF products to Lovech Ltd. today.


OUR GUARANTEE

In order to guarantee your satisfaction, we only offer products that meet and uphold our high standards in manufacturing and engineering.



FLAT PANEL


SHAKER



V-LINE



DOUBLE SHAKER




TRIPLE SHAKER



DOOR STYLE	[A] FULL STILE OR RAIL SIZE	[B] MINIMUM FLAT PANEL	[C] MINIMUM WIDTH OR HEIGHT WITH FULL RAIL	[D] MINIMUM REDUCED STILE OR RAIL SIZE	[E] MINIMUM WIDTH OR HEIGHT WITH REDUCED STILE OR RAIL SIZE
SHAKER	2 1/2" (64 mm)	1" (25 mm)	6" (152 mm)	1" (25 mm)	3" (76 mm)
V-LINE	2 1/2" (64 mm)	1" (25 mm)	6" (152 mm)	1" (25 mm)	3" (76 mm)
DOUBLE SHAKER	2 3/4" (70 mm)	1" (25 mm)	6 1/2" (165 mm)	1 1/4" (32 mm)	3 1/2" (89 mm)
TRIPLE SHAKER	3" (76 mm)	1" (25 mm)	7" (178 mm)	1 1/2" (38 mm)	4" (102 mm)

FLAT PANEL


DUMO



TOSCANA



LABRADOR




BELMONT




DOOR STYLE	[A] FULL STILE OR RAIL SIZE	[B] MINIMUM FLAT PANEL	[C] MINIMUM WIDTH OR HEIGHT WITH FULL RAIL	[D] MINIMUM REDUCED STILE OR RAIL SIZE	[E] MINIMUM WIDTH OR HEIGHT WITH REDUCED STILE OR RAIL SIZE
DUMO	2 13/16" (71 mm)	1" (25 mm)	6 11/16" (170 mm)	1 5/16" (33 mm)	3 11/16" (94 mm)
TOSCANA	3" (76 mm)	1" (25 mm)	6 15/16" (176 mm)	1 1/2" (38 mm)	3 15/16" (100 mm)
LABRADOR	2 15/16" (75 mm)	1" (25 mm)	6 7/8" (175 mm)	1 7/16" (37 mm)	3 7/8" (98 mm)
BELMONT	3 3/8" (86 mm)	1" (25 mm)	7 3/4" (197 mm)	1 15/16" (49 mm)	4 7/8" (124 mm)

FLAT PANEL


ROSEDALE




DUNHILL



FLARE




BENTLEY




DOOR STYLE	[A] FULL STILE OR RAIL SIZE	[B] MINIMUM FLAT PANEL	[C] MINIMUM WIDTH OR HEIGHT WITH FULL RAIL	[D] MINIMUM REDUCED STILE OR RAIL SIZE	[E] MINIMUM WIDTH OR HEIGHT WITH REDUCED STILE OR RAIL SIZE
ROSEDALE	3 1/4" (83 mm)	1" (25 mm)	7 1/2" (191 mm)	1 3/4" (44 mm)	4 1/2" (114 mm)
DUNHILL	2 15/16" (75 mm)	1" (25 mm)	6 15/16" (176 mm)	1 7/16" (37 mm)	3 15/16" (100 mm)
FLARE	3 1/4" (83 mm)	1" (25 mm)	7 1/2" (191 mm)	1 3/4" (44 mm)	4 1/2" (114 mm)
BENTLEY	3 1/8" (79 mm)	1" (25 mm)	7 3/16" (183 mm)	1 5/8" (41 mm)	4 3/16" (106 mm)

FLAT PANEL


FOREST HILL




OAKVILLE



MILAN




CARMEL



DOOR STYLE	[A] FULL STILE OR RAIL SIZE	[B] MINIMUM FLAT PANEL	[C] MINIMUM WIDTH OR HEIGHT WITH FULL RAIL	[D] MINIMUM REDUCED STILE OR RAIL SIZE	[E] MINIMUM WIDTH OR HEIGHT WITH REDUCED STILE OR RAIL SIZE
FOREST HILL	2 15/16" (75 mm)	1" (25 mm)	6 13/16" (173 mm)	1 7/16" (37 mm)	3 13/16" (97 mm)
OAKVILLE	3 1/4" (83 mm)	1" (25 mm)	7 1/2" (191 mm)	1 3/4" (44 mm)	4 1/2" (114 mm)
MILAN	3 11/16" (94 mm)	1" (25 mm)	8 3/8" (213 mm)	2 3/16" (56 mm)	5 3/8" (137 mm)
CARMEL	3 1/4" (83 mm)	1" (25 mm)	7 1/2" (191 mm)	1 3/4" (44 mm)	4 1/2" (114 mm)

FLAT PANEL


LIVERPOOL (P100)




STANFORD



ATHENS




OGEE




DOOR STYLE	[A] FULL STILE OR RAIL SIZE		[B] MINIMUM FLAT PANEL		[C] MINIMUM WIDTH OR HEIGHT WITH FULL RAIL		[D] MINIMUM REDUCED STILE OR RAIL SIZE		[E] MINIMUM WIDTH OR HEIGHT WITH REDUCED STILE OR RAIL SIZE	
LIVERPOOL	2 7/8"	(73 mm)	1"	(25 mm)	6 3/4"	(171 mm)	1 3/8"	(35 mm)	3 3/4"	(95 mm)
STANFORD	3 5/16"	(84 mm)	1"	(25 mm)	7 5/8"	(194 mm)	1 13/16"	(46 mm)	4 5/8"	(118 mm)
ATHENS	3 1/8"	(79 mm)	1"	(25 mm)	7 3/16"	(183 mm)	1 5/8"	(41 mm)	4 3/16"	(106 mm)
OGEE	3"	(76 mm)	1"	(25 mm)	6 15/16"	(176 mm)	1 1/2"	(38 mm)	3 15/16"	(100 mm)

FLAT PANEL


HENEGAN




PRAGUE



CHICAGO



GENOVA



DOOR STYLE	[A] FULL STILE OR RAIL SIZE	[B] MINIMUM FLAT PANEL	[C] MINIMUM WIDTH OR HEIGHT WITH FULL RAIL	[D] MINIMUM REDUCED STILE OR RAIL SIZE	[E] MINIMUM WIDTH OR HEIGHT WITH REDUCED STILE OR RAIL SIZE
HENEGAN	2 11/16" (68 mm)	1" (25 mm)	6 7/16" (164 mm)	1 3/16" (30 mm)	3 7/16" (87 mm)
PRAGUE	3 5/8" (92 mm)	1" (25 mm)	8 1/4" (210 mm)	2 3/8" (60 mm)	5 3/4" (146 mm)
CHICAGO	2 7/8" (73 mm)	1" (25 mm)	6 3/4" (171 mm)	1 3/8" (35 mm)	3 3/4" (95 mm)
GENOVA	3 7/16" (87 mm)	1" (25 mm)	7 13/16" (198 mm)	2 7/16" (62 mm)	5 13/16" (148 mm)

FLAT PANEL

CHATEAU



PRESTON



DOOR STYLE

[A] FULL STILE
OR RAIL SIZE

[B] MINIMUM
FLAT PANEL

[C] MINIMUM WIDTH OR
HEIGHT WITH FULL RAIL

[D] MINIMUM REDUCED
STILE OR RAIL SIZE

[E] MINIMUM WIDTH OR
HEIGHT WITH REDUCED
STILE OR RAIL SIZE

CHATEAU
PRESTON

3 5/16" (84 mm)
3 5/8" (92 mm)

1" (25 mm)
1" (25 mm)


7 5/8" (194 mm)
8 1/4" (210 mm)

1 13/16" (46 mm)
2 1/8" (54 mm)


4 5/8" (118 mm)
5 1/4" (133 mm)

RAISED PANEL

WINCHESTER




OXFORD



VANCOUVER




MANCHESTER




DOOR STYLE	[A] FULL STILE OR RAIL SIZE	[B] MINIMUM PANEL WIDTH OR HEIGHT WITH 1" MIN. FLAT SECTION OF PANEL	[C] MINIMUM WIDTH OR HEIGHT WITH FULL RAIL	[D] MINIMUM REDUCED STILE OR RAIL SIZE	[E] MINIMUM WIDTH OR HEIGHT WITH REDUCED STILE OR RAIL SIZE
WINCHESTER	2 15/16" (75 mm)	2 3/4" (70 mm)	8 11/16" (221 mm)	1 7/16" (37 mm)	5 11/16" (144 mm)
OXFORD	3 3/8" (86 mm)	3 9/16" (90 mm)	10 5/16" (262 mm)	1 15/16" (49 mm)	7 7/16" (189 mm)
VANCOUVER	2 7/8" (73 mm)	3 1/2" (89 mm)	9 1/4" (235 mm)	1 3/8" (35 mm)	6 1/4" (159 mm)
MANCHESTER	3" (76 mm)	3 5/16" (84 mm)	9 5/16" (237 mm)	1 1/2" (38 mm)	6 1/4" (159 mm)

RAISED PANEL


ARIZONA




ROME



DONCASTER




DAMIAN




DOOR STYLE	[A] FULL STILE OR RAIL SIZE		[B] MINIMUM PANEL WIDTH OR HEIGHT WITH 1" MIN. FLAT SECTION OF PANEL		[C] MINIMUM WIDTH OR HEIGHT WITH FULL RAIL		[D] MINIMUM REDUCED STILE OR RAIL SIZE		[E] MINIMUM WIDTH OR HEIGHT WITH REDUCED STILE OR RAIL SIZE	
ARIZONA	3 1/4"	(83 mm)	4 5/16"	(110 mm)	10 13/16"	(275 mm)	1 3/4"	(44 mm)	7 13/16"	(198 mm)
ROME	2 15/16"	(75 mm)	3 15/16"	(100 mm)	9 13/16"	(250 mm)	1 7/16"	(37 mm)	6 13/16"	(173 mm)
DONCASTER	2 7/8"	(73 mm)	3 3/8"	(86 mm)	9 1/4"	(235 mm)	1 7/16"	(37 mm)	6 1/4"	(159 mm)
DAMIAN	3 1/4"	(83 mm)	2 3/4"	(70 mm)	9 5/16"	(237 mm)	1 3/4"	(44 mm)	6 5/16"	(160 mm)

RAISED PANEL

SYDNEY




LINCOLN



WESTON



PHANTOM



DOOR STYLE

[A] FULL STILE
OR RAIL SIZE

[B] MINIMUM PANEL
WIDTH OR HEIGHT
WITH 1" MIN. FLAT
SECTION OF PANEL

[C] MINIMUM
WIDTH OR HEIGHT
WITH FULL RAIL


[D] MINIMUM REDUCED
STILE OR RAIL SIZE

[E] MINIMUM WIDTH OR
HEIGHT WITH REDUCED
STILE OR RAIL SIZE


SYDNEY	3 11/16" (94 mm)	4 3/8" (111 mm)	11 3/4" (299 mm)	2 3/16" (56 mm)	8 3/4" (222 mm)
LINCOLN	2 15/16" (75 mm)	4 3/8" (111 mm)	10 3/16" (259 mm)	1 7/16" (37 mm)	7 3/16" (183 mm)
WESTON	3 5/16" (84 mm)	3 15/16" (100 mm)	10 9/16" (268 mm)	1 13/16" (46 mm)	7 9/16" (294 mm)
PHANTOM	3 1/8" (79 mm)	3 7/8" (98 mm)	10 1/16" (256 mm)	1 5/8" (41 mm)	7 1/16" (179 mm)

RAISED PANEL


FLORENCE




FLORIDA



MOROCCO



ASPEN



DOOR STYLE

[A] FULL STILE
OR RAIL SIZE

[B] MINIMUM PANEL
WIDTH OR HEIGHT
WITH 1" MIN. FLAT
SECTION OF PANEL

[C] MINIMUM
WIDTH OR HEIGHT
WITH FULL RAIL

[D] MINIMUM REDUCED
STILE OR RAIL SIZE

[E] MINIMUM WIDTH OR
HEIGHT WITH REDUCED
STILE OR RAIL SIZE

FLORENCE	2 7/8"	(73 mm)	3 9/16"	(90 mm)	9 5/16"	(237 mm)	1 3/8"	(35 mm)	6 5/16"	(160 mm)
FLORIDA	3 5/16"	(84 mm)	2 1/2"	(64 mm)	9 1/8"	(232 mm)	2 1/16"	(52 mm)	6 5/8"	(168 mm)
MOROCCO	3 1/8"	(79 mm)	3 13/16"	(97 mm)	10 1/16"	(256 mm)	1 5/8"	(41 mm)	7"	(178 mm)
ASPEN	3 3/8"	(86 mm)	3 5/8"	(92 mm)	10 3/8"	(264 mm)	2 3/8"	(60 mm)	8 3/8"	(213 mm)

OUTSIDE EDGES



OUTSIDE EDGE #1



OUTSIDE EDGE #2



OUTSIDE EDGE #3



OUTSIDE EDGE #4



OUTSIDE EDGE #5



OUTSIDE EDGE #6



OUTSIDE EDGE #7



OUTSIDE EDGE #8



OUTSIDE EDGE #9



OUTSIDE EDGE #10

POSTS & COLUMNS



Need to add some more detail to your kitchen design? No problem! Columns can offer a finishing touch or help tie in your design elements.

We offer posts and columns to match our flat panel doorstyles.

There is a minimum of 1/2" required for rails, stiles and the flat centre panel so the minimum width or height of your column is determined by your size of your door style profile.

*THE COLUMNS SHOWN ARE 3" WIDE AND INCLUDE THE MINIMUM REQUIRED 1/2" RAILS, STILES AND CENTRE PANEL.

CUSTOM ORDERS

We welcome the opportunity and any requests to create custom MDF components. This may include specialty doors, decorative toekicks, hood panels and one-of-a-kind components specific to your unique projects.

Additionally, we offer door style design and consultation services to ensure that we are a one-stop shop for all your MDF needs.


We accept drawings with all the necessary measurements and specifications in addition to AutoCAD files. Custom orders are subject to additional design charges.



SPECIALTY FRAMES & DOORS

All of our doorstyles are available as one lite framed doors, most are available as multi-lite frames or with mullions - but if you are looking for something even more special, just let us know!

Just provide us with a picture or drawing of the style you would like and we can confirm if it will work for your door size and style. Custom and frame doors are subject to additional charges.



DOORS & DRAWERS ORDER FORM

Lovech Ltd.

PLEASE SUBMIT YOUR ORDER BY EMAIL AT ORDER@LOVECH.CA , BY FAX OR DROP OFF.
 FOR QUESTIONS PLEASE CONTACT: TEL. (647) 427-4272 FAX. (905) 760-8383

MDF DOORS & CUSTOM PRODUCTS
 351 SPINNAKER WAY, UNIT 1
 CONCORD, ON. L4K 4N4

COMPANY: _____
 ADDRESS: _____

 CONTACT NAME: _____
 TEL. #: _____
 FAX #: _____
 EMAIL: _____
 DATE: _____
 DATE REQ'D: _____

PO #/JOB: _____
 DOORSTYLE: _____
 OUTSIDE EDGE: _____
 THICKNESS: _____
 3/4" _____
 7/8" *
 CUSTOM *
 MDF BACK: _____
 RAW: _____
 WHITE: _____
 DOOR RAIL SIZE (EXCLUDING PROFILE): _____
 DRAWER RAIL SIZE (EXCLUDING PROFILE): _____
 INCLUDE 1/8" POCKETING ON BACK OF DOORS: * _____

* ADDITIONAL CHARGES APPLY

DOORS

	QTY	WIDTH	HEIGHT
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			

DRAWERS

	QTY	WIDTH	HEIGHT	NOTES
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				

DRAWER RAILS TO BE REDUCED IF REQUIRED. NOTED IN ORDER CONFIRMATION

FRAMES

	QTY	WIDTH	HEIGHT	LITES
1				
2				
3				
4				
5				
6				

***STANDARD FLAT RAIL & STILE SIZE FOR MDF DOORS IS 2 1/2" ***

SPECIALTY MDF ORDER FORM

Lovech Ltd.

PLEASE SUBMIT YOUR ORDER BY EMAIL AT ORDER@LOVECH.CA , BY FAX OR DROP OFF.
FOR QUESTIONS PLEASE CONTACT: TEL. (647) 427-4272 FAX. (905) 760-8383

MDF DOORS & CUSTOM PRODUCTS
351 SPINNAKER WAY, UNIT 1
CONCORD, ON. L4K 4N4

PLEASE ATTACH TO CORRESPONDING DOORS & DRAWERS ORDER FORM(S) IF APPLICABLE

COMPANY: _____

ADDRESS: _____

CONTACT: _____

PO #/ JOB: _____

DATE: _____

DATE REQUIRED: _____

TEL: _____ FAX: _____

EMAIL: _____

THICKNESS: 3/4" 7/8" CUSTOM _____ "

DOOR STYLE: _____

OUTSIDE LIP/EDGE: NONE # _____ *

INCLUDE 1/8" POCKETING ON BACK OF DOORS: *

MDF BACKING: RAW WHITE

DOOR RAIL SIZE (EXCLUDES INT. PROFILE): _____

DRAWER RAIL SIZE (EXCLUDES INT. PROFILE): _____

* ADDITIONAL CHARGES APPLY

PROVIDE DRAWINGS, DIMENSIONS, QUANTITIES AND ANY NECESSARY DETAILS/NOTES FOR THE SPECIALTY COMPONENTS BELOW:

Terms and Conditions

FORMS

"Doors and Drawers" and "Specialty" order forms are included in this brochure for photocopying. Additional copies are available from our sales representatives or online for your printing convenience at www.lovech.ca

SPECIALTY ORDERS

Please submit any custom components on our "Specialty" order form complete with drawings and all measurements. Specialty orders are subject to additional design charges.

PLACING AN ORDER

Order forms can be submitted to our sales representatives, dropped off to our office or emailed to order@lovech.ca. Please number the pages of each order form, this will help ensure your order for doors and specialty items are processed as one order.

QUOTATIONS

Lovech Ltd. quotes are valid for 30 days. In the event of any changes to the order, the original quote becomes invalid and a new quote will be issued.

LEAD TIMES

Lead times are established on an order by order basis. Lead time calculations are based on regular business days and do not include holidays or weekends unless otherwise stated by Lovech Ltd.

RUSH ORDERS

Rush orders must be requested, we will inform you if our production schedule can accommodate your request. Rush and addition orders may be subject to additional charges.

ORDER CONFIRMATION

Upon receiving your order, we will issue a typed confirmation within 24 hours. Please check and confirm that all the information is correct, sign the order, and fax or e-mail the signed copy back to our office. Only signed and confirmed orders will be processed.

CHANGES TO ORDER

Changes to orders can be made within 24 hours of receiving a typed confirmation from Lovech Ltd. Any changes made after this time are subject to charges and are not guaranteed to arrive with the original order.

SIZES

Exact door sizes must be specified at the time of order (metric or imperial). We not add or subtract from the measurements you provide.

SANDING

All Lovech Ltd. MDF pricing includes sanding and products come ready for finishing. However, it is recommended that you inspect the products after any handling and prep accordingly.

SHIPPING

1. Customer pick up or 2. Courier delivery options are available, please speak with the office regarding your options.

PRICING

MDF prices are based on square footage and vary according to door style and MDF thickness. Design elements such as outside edges, pocketing back operations and custom designs are available at an extra cost. *Prices are subject to change

PAYMENT

For customers who have not established open credit with Lovech Ltd., payment is due prior to shipment or upon pick-up. On approved accounts, term is Net 30 days. Lovech Ltd also accepts Interac, Visa, MasterCard, Discover and American Express.

RETURNS



Please inspect goods immediately upon receiving and contact us in case of shortage or damage within 24 hours. Credit or replacement is issued subject to inspection by Lovech Ltd. Goods must be returned in the original condition, finished or altered doors will not be accepted.

WARRANTY

All Lovech Ltd. standard products are covered by one-year warranty effective on the date of shipment. This warranty is limited to the original cost of the item as produced by Lovech Ltd. and structural damages only. Alterations to our standard construction void any warranty.

WARPAGE

Central rails are recommended for all panels over 48". ***Any panels over 48" with no centre rail will not be covered under warranty.** We recommend using melamine-laminated backs on our MDF doors to keep warpage to a minimum.



LOVECH ltd

MDF Doors &
Custom Products

